

CS 6400 A

Database Systems Concepts and Design

Lecture 16

10/23/24

Announcements

Assignment 3,4 released

- Assignment 3: Paper presentation (group)
 - Group and paper assignment on canvas
 - 20min presentation + 5min Q&A
 - Presentation starts Nov 6
- Assignment 4: Paper review (individual)

Assignment 2 leaderboard



◆ Rank	◆ Submission Name	▲ Time
1	Ignacio Di Leva	207.6958015720381
2	chengqi	331.7753171445144
3	hotlunch363	374.223045914133

Desirable Properties of Transactions: ACID

- **Atomicity**: A transaction is an atomic unit of processing; it is either performed in its entirety or not performed at all.
- **Consistency**: A correct execution of the transaction must take the database from one consistent state to another.
- **Isolation**: A transaction should not make its updates visible to other transactions until it is committed.
- **Durability**: Once a transaction changes the database and the changes are committed, these changes must never be lost because of subsequent failure.

This class: ensuring atomicity and durability with logging and recovery manager

Reading Materials


Database Systems: The Complete Book (2nd edition)

- Chapter 17 - Copying with System Failures

Supplementary materials

Fundamental of Database Systems (7th Edition)

- Chapter 22 - Database Recovery Techniques



Agenda

1. Undo Logging
2. Redo Logging
3. Undo/redo logging

Failure modes and solutions

Erroneous data entry

- Typos
→ Write constraints and triggers

Media failures

- Local disk failure, head crashes
→ Parity checks, RAID, archiving and copying

Catastrophic failures

- Explosions, fires
→ Archiving and copying

System failures

- Transaction state lost due to power loss and software errors
→ Logging

Our focus today

Recovery

Atomicity

- by "undo"ing actions of "aborted transactions"

Durability



- by making sure that all actions of committed transactions survive crashes and system failure
- – i.e. by "redo"-ing actions of "committed transactions"

Recall: The Correctness Principle



A fundamental assumption about transaction is:

If a transaction executes in the absence of any other transactions or system errors, and it starts with the database in a consistent state, then the database is also in a consistent state when the transaction ends.


DB in consistent state



Run in isolation



DB in consistent state



Transaction primitives

- Example transaction
 - Consistent state: $A = B$

Execution

Logical steps

$A := A * 2$
 $B := B * 2$

Action	t	Memory		Disk	
		A	B	A	B
READ(A, t)	8	8	8	8	8
$t := t * 2$	16	8	8	8	8
WRITE(A, t)	16	16	8	8	8
READ(B, t)	8	16	8	8	8
$t := t * 2$	16	16	8	8	8
WRITE(B, t)	16	16	16	8	8
OUTPUT(A)	16	16	16	16	8
OUTPUT(B)	16	16	16	16	16

Transaction primitives

- Example transaction
 - Consistent state: $A = B$

Execution

Logical steps

$A := A * 2$ $B := B * 2$

Action	t	Memory		Disk	
		A	B	A	B
READ(A, t)	8	8		8	8
$t := t * 2$	16	8		8	8
WRITE(A, t)	16	16		8	8
READ(B, t)	8	16	8	8	8
$t := t * 2$	16	16	8	8	8
WRITE(B, t)	16	16	16	8	8
OUTPUT(A)	16	16	16	16	8
OUTPUT(B)	16	16	16	16	16

Consistent

Transaction primitives

- Example transaction
 - Consistent state: $A = B$

Execution

Logical steps

$A := A * 2$
 $B := B * 2$

Action	t	Memory		Disk	
		A	B	A	B
READ(A, t)	8	8		8	8
$t := t * 2$	16	8		8	8
WRITE(A, t)	16	16		8	8
READ(B, t)	8	16	8	8	8
$t := t * 2$	16	16	8	8	8
WRITE(B, t)	16	16	16	8	8
OUTPUT(A)	16	16	16	16	8
OUTPUT(B)	16	16	16	16	16

Consistent

Transaction primitives

- Example transaction
 - Consistent state: $A = B$

Execution

Logical steps

$A := A * 2$
 $B := B * 2$

Action	t	Memory		Disk	
		A	B	A	B
READ(A, t)	8	8		8	8
$t := t * 2$	16	8		8	8
WRITE(A, t)	16	16		8	8
READ(B, t)	8	16	8	8	8
$t := t * 2$	16	16	8	8	8
WRITE(B, t)	16	16	16	8	8
OUTPUT(A)	16	16	16	16	8
OUTPUT(B)	16	16	16	16	16

Not consistent!
 Either reset $A = 8$
 or advance $B = 16$

1. Undo logging

Undo logging

- Idea: Undo incomplete transactions, and ignore committed ones

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8		8	8	
$t := t * 2$	16	8		8	8	
WRITE(A, t)	16	16		8	8	< $T, A, 8$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	
						<COMMIT T >
FLUSH LOG						

Log: records of what transaction has done

Undo logging

- Idea: Undo incomplete transactions, and ignore committed ones

Action	t	Memory		Disk		Log	
		A	B	A	B		
						<START T >	T started
READ(A, t)	8	8		8	8		
$t := t * 2$	16	8		8	8		
WRITE(A, t)	16	16		8	8	< $T, A, 8$ >	T changed A , and its former value is 8
READ(B, t)	8	16	8	8	8		
$t := t * 2$	16	16	8	8	8		
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >	
FLUSH LOG							
OUTPUT(A)	16	16	16	16	8		
OUTPUT(B)	16	16	16	16	16		
						<COMMIT T >	T completed successfully
FLUSH LOG							


Undo logging

- Idea: Undo incomplete transactions, and ignore committed ones

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8		8	8	
$t := t * 2$	16	8		8	8	
WRITE(A, t)	16	16		8	8	< $T, A, 8$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	
FLUSH LOG						<COMMIT T >

Rule 1:

< $T, A, 8$ > must be flushed to disk before new A is written to disk (same for B)



Undo logging

- Idea: Undo incomplete transactions, and ignore committed ones

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8		8	8	
$t := t * 2$	16	8		8	8	
WRITE(A, t)	16	16		8	8	< $T, A, 8$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	
FLUSH LOG						<COMMIT T >

Rule 1:

< $T, A, 8$ > must be flushed to disk before new A is written to disk (same for B)



Rule 2:


<COMMIT T > must be flushed to disk after A and B are written to disk

Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8		8	8	
$t := t * 2$	16	8		8	8	
WRITE(A, t)	16	16		8	8	< $T, A, 8$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	
						<COMMIT T >
FLUSH LOG						

Recovery




Crash

Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8		8	8	
$t := t * 2$	16	8		8	8	
WRITE(A, t)	16	16		8	8	< $T, A, 8$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	
						<COMMIT T >
FLUSH LOG						

Recovery



Observe <COMMIT T > record


Crash

Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8		8	8	
$t := t * 2$	16	8		8	8	
WRITE(A, t)	16	16		8	8	< $T, A, 8$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	
						<COMMIT T >
FLUSH LOG						

Recovery



Ignore (T was committed)



Observe <COMMIT T > record


Crash

Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8		8	8	
$t := t * 2$	16	8		8	8	
WRITE(A, t)	16	16		8	8	< T , A, 8>
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< T , B, 8>
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	
						<COMMIT T >
FLUSH LOG						

Recovery



Ignore (T was committed)



Ignore (T was committed)



Observe <COMMIT T > record

Crash


Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8		8	8	
$t := t * 2$	16	8		8	8	
WRITE(A, t)	16	16		8	8	< $T, A, 8$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	
						<COMMIT T >
FLUSH LOG						

Crash


Recovery



Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log	Recovery
		A	B	A	B		
						<START T >	
READ(A, t)	8	8		8	8		
$t := t * 2$	16	8		8	8		
WRITE(A, t)	16	16		8	8	< $T, A, 8$ >	
READ(B, t)	8	16	8	8	8		
$t := t * 2$	16	16	8	8	8		
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >	
FLUSH LOG							
OUTPUT(A)	16	16	16	16	8		
OUTPUT(B)	16	16	16	16	16		
						<COMMIT T >	
FLUSH LOG							Crash




<COMMIT T > may or may not have been flushed to disk. If so, same as previous scenario. If not, T is considered incomplete

Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log	Recovery
		A	B	A	B		
						<START T >	
READ(A, t)	8	8	8	8	8		
$t := t * 2$	16	8	8	8	8		
WRITE(A, t)	16	16	8	8	8	< $T, A, 8$ >	
READ(B, t)	8	16	8	8	8		
$t := t * 2$	16	16	8	8	8		
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >	
FLUSH LOG							
OUTPUT(A)	16	16	16	16	8		
OUTPUT(B)	16	16	16	16	16		
						<COMMIT T >	
FLUSH LOG							Crash




If T was incomplete, set B to previous value 8 on disk

Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log	Recovery
		A	B	A	B		
						<START T>	
READ(A, t)	8	8		8	8		
$t := t * 2$	16	8		8	8		
WRITE(A, t)	16	16		8	8	<T, A, 8>	
READ(B, t)	8	16	8	8	8		
$t := t * 2$	16	16	8	8	8		
WRITE(B, t)	16	16	16	8	8	<T, B, 8>	
FLUSH LOG							
OUTPUT(A)	16	16	16	16	8		
OUTPUT(B)	16	16	16	16	16		
						<COMMIT T>	
FLUSH LOG							Crash




If T was incomplete, set A to previous value 8 on disk

Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8	8	8	8	
$t := t * 2$	16	8	8	8	8	
WRITE(A, t)	16	16	8	8	8	< $T, A, 8$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	
						<COMMIT T >
FLUSH LOG						

Write <ABORT T > to log and flush to disk



Crash


Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8	8	8	8	
$t := t * 2$	16	8	8	8	8	
WRITE(A, t)	16	16	8	8	8	< $T, A, 8$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	
						<COMMIT T >
FLUSH LOG						

Crash


Recovery



Recovery using undo logging

- Simplifying assumption: use entire log, no matter how long

Action	t	Memory		Disk		Log	Recovery
		A	B	A	B		
						<START T >	
READ(A, t)	8	8		8	8		
$t := t * 2$	16	8		8	8		
WRITE(A, t)	16	16		8	8	< $T, A, 8$ >	
READ(B, t)	8	16	8	8	8		
$t := t * 2$	16	16	8	8	8		
WRITE(B, t)	16	16	16	8	8	< $T, B, 8$ >	
FLUSH LOG							
OUTPUT(A)	16	16	16	16	8		
OUTPUT(B)	16	16	16	16	16		Crash
FLUSH LOG						<COMMIT T >	



Same recovery as before, but only A is set to previous value

What happens if the system crashes during the recovery?

- Undo-log recovery is idempotent, so repeating the recovery is OK



In-class Exercise

- Given the undo log, describe the action of the recovery manager

<START T>

<T, A, 10>

<START U>

<U, B, 20>

<T, C, 30>

<U, D, 40>

<COMMIT U>

Checkpointing

- Entire log can be too long
- Cannot truncate log after a COMMIT because there are other running transactions

Checkpointing

- Solution: checkpoint log periodically

<START T1>

<T1, A, 5>

<START T2>

<T2, B, 10>

Checkpointing

- Solution: checkpoint log periodically

<START T1>

<T1, A, 5>

<START T2>

<T2, B, 10>

Stop accepting new transactions

Checkpointing

- Solution: checkpoint log periodically

<START T1>

<T1, A, 5>

<START T2>

<T2, B, 10>

<T2, C, 15>

<T1, D, 20>

<COMMIT T1>

<COMMIT T2>

Stop accepting new transactions

Wait until all transactions commit or abort

Checkpointing

- Solution: checkpoint log periodically

<START T1>
<T1, A, 5>
<START T2>
<T2, B, 10>
<T2, C, 15>
<T1, D, 20>
<COMMIT T1>
<COMMIT T2>
<CKPT>

Stop accepting new transactions

Wait until all transactions commit or abort

Flush log

Write <CKPT> and flush

Checkpointing

- Solution: checkpoint log periodically

<START T1>
<T1, A, 5>
<START T2>
<T2, B, 10>
<T2, C, 15>
<T1, D, 20>
<COMMIT T1>
<COMMIT T2>
<CKPT>
<START T3>
<T3, E, 25>
<T3, F, 30>

Stop accepting new transactions

Wait until all transactions commit or abort

Flush log

Write <CKPT> and flush

Resume transactions

Nonquiescent checkpointing

- Motivation: avoid shutting down system while checkpointing
- Checkpoint all active transactions, but allow new transactions to enter system

```
<START T1>  
<T1, A, 5>  
<START T2>  
<T2, B, 10>  
<START CKPT (T1, T2)>  
<T2, C, 15>  
<START T3>  
<T1, D, 20>  
<COMMIT T1>  
<T3, E, 25>  
<COMMIT T2>  
<END CKPT>  
<T3, F, 30>
```

Nonquiescent checkpointing

- Motivation: avoid shutting down system while checkpointing
- Checkpoint all active transactions, but allow new transactions to enter system

```
<START T1>  
<T1, A, 5>  
<START T2>  
<T2, B, 10>  
<START CKPT (T1, T2)>  
<T2, C, 15>  
<START T3>  
<T1, D, 20>  
<COMMIT T1>  
<T3, E, 25>  
<COMMIT T2>  
<END CKPT>  
<T3, F, 30>
```

Crash

If we first meet <END CKPT>, only need to recover until <START CKPT (T1, T2)>

Nonquiescent checkpointing

- Motivation: avoid shutting down system while checkpointing
- Checkpoint all active transactions, but allow new transactions to enter system

```
<START T1>  
<T1, A, 5>  
<START T2>  
<T2, B, 10>  
<START CKPT (T1, T2)>  
<T2, C, 15>  
<START T3>  
<T1, D, 20>  
----- Crash  
<COMMIT T1>  
<T3, E, 25>  
<COMMIT T2>  
<END CKPT>  
<T3, F, 30>
```

If we first meet <START CKPT (T1, T2)>, only need to recover until <START T1>

2. Redo logging

Redo logging

Redo logging ignores incomplete transactions and repeats committed ones

- Undo logging cancels incomplete transactions and ignores committed ones

$\langle T, X, \underline{v} \rangle$ now means T wrote new value v for database element X

One rule: all log records (e.g., $\langle T, X, v \rangle$ and $\langle \text{COMMIT } T \rangle$) must appear on disk before modifying any database element X on disk

Redo logging

- Example

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8		8	8	
$t := t * 2$	16	8		8	8	
WRITE(A, t)	16	16		8	8	< $T, A, 16$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 16$ > <COMMIT T >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	


Recovery with redo logging

- Scan log forward and redo committed transactions

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8	8	8	8	
$t := t * 2$	16	8	8	8	8	
WRITE(A, t)	16	16	8	8	8	< $T, A, 16$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 16$ >
						<COMMIT T >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	

Crash

Recovery




Recovery with redo logging

- Scan log forward and redo committed transactions

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8	8	8	8	
$t := t * 2$	16	8	8	8	8	
WRITE(A, t)	16	16	8	8	8	< $T, A, 16$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 16$ >
						<COMMIT T >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	

Crash

Recovery




Recovery with redo logging

- Scan log forward and redo committed transactions

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8	8	8	8	
$t := t * 2$	16	8	8	8	8	
WRITE(A, t)	16	16	8	8	8	< $T, A, 16$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 16$ >
						<COMMIT T >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	

Crash

Recovery



Recovery with redo logging


- Scan log forward and redo committed transactions

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8	8	8	8	
$t := t * 2$	16	8	8	8	8	
WRITE(A, t)	16	16	8	8	8	< $T, A, 16$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 16$ >
						<COMMIT T >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
OUTPUT(B)	16	16	16	16	16	

Do nothing

Crash

Recovery



Nonquiescent checkpointing for redo log

- Write to disk all DB elements modified by committed transactions

```
<START T1>  
<T1, A, 5>  
<START T2>  
<COMMIT T1>  
<T2, B, 10>  
<START CKPT (T2)>
```

Nonquiescent checkpointing for redo log

- Write to disk all DB elements modified by committed transactions

```
<START T1>  
<T1, A, 5>  
<START T2>  
<COMMIT T1>  
<T2, B, 10>  
<START CKPT (T2)>  
<T2, C, 15>  
<START T3>  
<T3, D, 20>  
<END CKPT>
```

Write to disk all DB elements by transactions that already committed when START CKPT was written to log (i.e., T1)

Nonquiescent checkpointing for redo log

- Write to disk all DB elements modified by committed transactions

```
<START T1>  
<T1, A, 5>  
<START T2>  
<COMMIT T1>  
<T2, B, 10>  
<START CKPT (T2)>  
<T2, C, 15>  
<START T3>  
<T3, D, 20>  
<END CKPT>  
<COMMIT T2>  
<COMMIT T3>
```

Write to disk all DB elements by transactions that already committed when START CKPT was written to log (i.e., T1)

Nonquiescent checkpointing for redo log

- After crash, redo committed transactions that either started after START CKPT or were active during START CKPT

```
<START T1>  
<T1, A, 5>  
<START T2>  
<COMMIT T1>  
<T2, B, 10>  
<START CKPT (T2)>  
<T2, C, 15>  
<START T3>  
<T3, D, 20>  
<END CKPT>  
<COMMIT T2>  
<COMMIT T3>
```

Crash

Nonquiescent checkpointing for redo log

- After crash, redo committed transactions that either started after START CKPT or were active during START CKPT

<START T1>
<T1, A, 5>
<START T2>
<COMMIT T1>
<T2, B, 10>
<START CKPT (T2)>
<T2, C, 15>
<START T3>
<T3, D, 20>
<END CKPT>
<COMMIT T2>

<COMMIT T3>

Crash

Only redo writes by T2
Write <ABORT T3> in log after recovery

3. Undo/redo logging

Undo/redo logging

More flexible than undo or redo logging in ordering actions

$\langle T, X, v, w \rangle$: T changed value of X from v to w

One rule: $\langle T, X, v, w \rangle$ must appear on disk before modifying X on disk

Undo/redo logging

- Example

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8	8	8	8	
$t := t * 2$	16	8	8	8	8	
WRITE(A, t)	16	16	8	8	8	< $T, A, 8, 16$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8, 16$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
						<COMMIT T >
OUTPUT(B)	16	16	16	16	16	


Recovery with undo/redo logging

- Redo all committed transactions and undo all incomplete transactions

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8		8	8	
$t := t * 2$	16	8		8	8	
WRITE(A, t)	16	16		8	8	< $T, A, 8, 16$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8, 16$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
						<COMMIT T >
OUTPUT(B)	16	16	16	16	16	

Crash


Recovery



Recovery with undo/redo logging

- Redo all committed transactions and undo all incomplete transactions

Action	t	Memory		Disk		Log	Recovery
		A	B	A	B		
						<START T>	
READ(A, t)	8	8	8	8	8		
$t := t * 2$	16	8	8	8	8		
WRITE(A, t)	16	16	8	8	8	<T, A, 8, 16>	
READ(B, t)	8	16	8	8	8		
$t := t * 2$	16	16	8	8	8		
WRITE(B, t)	16	16	16	8	8	<T, B, 8, 16>	
FLUSH LOG							
OUTPUT(A)	16	16	16	16	8	<COMMIT T>	
OUTPUT(B)	16	16	16	16	16		Crash



T is committed
Redo by writing the value 16
for both A and B to the disk.




Recovery with undo/redo logging

- Redo all committed transactions and undo all incomplete transactions

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8	8	8	8	
$t := t * 2$	16	8	8	8	8	
WRITE(A, t)	16	16	8	8	8	< $T, A, 8, 16$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8, 16$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
Crash						
OUTPUT(B)	16	16	16	16	16	<COMMIT T >

Recovery




Recovery with undo/redo logging

- Redo all committed transactions and undo all incomplete transactions

Action	t	Memory		Disk		Log
		A	B	A	B	
						<START T >
READ(A, t)	8	8	8	8	8	
$t := t * 2$	16	8	8	8	8	
WRITE(A, t)	16	16	8	8	8	< $T, A, 8, 16$ >
READ(B, t)	8	16	8	8	8	
$t := t * 2$	16	16	8	8	8	
WRITE(B, t)	16	16	16	8	8	< $T, B, 8, 16$ >
FLUSH LOG						
OUTPUT(A)	16	16	16	16	8	
Crash						
						<COMMIT T >
OUTPUT(B)	16	16	16	16	16	

Recovery



T is incomplete
Undo by resetting A and B to the previous value of 8

Crash

Nonquiescent checkpointing for undo/redo logging

- Simpler than other logging methods

```
<START T1>  
<T1, A, 4, 5>  
<START T2>  
<COMMIT T1>  
<T2, B, 9, 10>  
<START CKPT (T2)>
```

Nonquiescent checkpointing for undo/redo logging

- Simpler than other logging methods

```
<START T1>  
<T1, A, 4, 5>  
<START T2>  
<COMMIT T1>  
<T2, B, 9, 10>  
<START CKPT (T2)>  
<T2, C, 14, 15>  
<START T3>  
<T3, D, 19, 20>  
<END CKPT>
```

Write to disk all the buffers that are dirty

Nonquiescent checkpointing for undo/redo logging

- Simpler than other logging methods

```
<START T1>  
<T1, A, 4, 5>  
<START T2>  
<COMMIT T1>  
<T2, B, 9, 10>  
<START CKPT (T2)>  
<T2, C, 14, 15>  
<START T3>  
<T3, D, 19, 20>  
<END CKPT>  
<COMMIT T2>  
<COMMIT T3>
```

Write to disk all the buffers that are dirty

Nonquiescent checkpointing for undo/redo logging

- After a crash, redo committed transactions, and undo uncommitted ones

```
<START T1>  
<T1, A, 4, 5>  
<START T2>  
<COMMIT T1>  
<T2, B, 9, 10>  
<START CKPT (T2)>  
<T2, C, 14, 15>  
<START T3>  
<T3, D, 19, 20>  
<END CKPT>  
<COMMIT T2>      Crash  
<COMMIT T3>
```

Nonquiescent checkpointing for undo/redo logging

- After a crash, redo committed transactions, and undo uncommitted ones

```
<START T1>  
<T1, A, 4, 5>  
<START T2>  
<COMMIT T1>  
<T2, B, 9, 10>  
<START CKPT (T2)>  
<T2, C, 14, 15>  
<START T3>  
<T3, D, 19, 20>  
<END CKPT>  
<COMMIT T2>  
<COMMIT T3>
```

Crash

Redo T2 by setting C to 15 on disk
(No need to set B to 10 thanks to CKPT)
Undo T3 by setting D to 19 on disk

Summary

Coping with System Failures

- Undo logging
- Redo logging
- Undo/redo logging
- Checkpointing